

The Wren by 3Si product line includes purpose-built camera, video, housing, and mount solutions for reliable video capture that provides actionable intelligence to enhance safety and security.

DOCK DOOR CAMERA MOUNT

One Mount. Every Camera. Total Visibility.

The Universal Dock Door Camera Mount delivers unparalleled flexibility, durability, and clarity for warehouse security and operations, empowering teams to monitor and protect assets with confidence - regardless of camera brand or dock configuration.

KEY FEATURES

Universal Camera Compatibility: Supports major camera brands, reducing vendor lock-in.

Engineered for Durability: Withstands impacts, harsh weather, and heavy traffic.

🔀 Reduced Maintenance Costs: Rugged design minimizes repair/replacement.

Scalability: Single mount system works across all dock doors.

Faster Installations: Less downtime for dock operations.

KEY BENEFITS

- ✓ Deter Security Risks: Spot criminal behavior and false claims early
- ✓ Oversee Operations: Catch unauthorized actions such as trailer occupancy
- ✓ Minimize Loss: Drive shrink reduction and support employee accountability
- Support Investigations: Back response efforts with dependable video proof
- ✓ Promote Safety: Boost workplace safety, prevent theft, and confirm shipments
- ✓ Increased ROI: Flexibility to use preferred camera brands while maintaining quality







Ground-level Access

No lift. No ladder. Faster installs and service.

Future-Ready Compatibility

Works with your existing cameras - and new models.

Audit-Ready Visibility

Ideal for investigations, claims, and compliance.

Self-Resetting Design

Returns to position automatically. Fewer touch-ups.

Smart Docking Support

Seamless Integration with automation and analytics.


Always Alert

Delivers real-time visibility into activity - right inside the trailer.

Upgrade to a camera mount built for the realities of the dock.


Universal, tough, and field-ready!

Dock Door Camera Mount Diagram



Max Camera Dimensions

Max Diameter 6in
Max Height 4.5in



CAMERA MOUNTING LIMITATIONS 3 OR 4 -HOLE MOUNT 3.4" DIA. TO 5.65" DIA. UNITS: INCHES





MODEL NUMBER	DDK-UCM-D
Features	
Universal Dock Door Mounting - Left and Right Rails	
Casted Pivot Hinge Design - Auto returning mechanism	
Universal Camera Mount Plate - Camera agnostic	
Front and Back Camera Protection	
Sunshield/Weather Shield	
Mount	
Material	Steel
Finish	Powder Coat
Color	Black
Pivot	
Material	Casted Aluminum
Finish	Powder Coat
Color	Safety Yellow
Camera Protection	
Housing Material	ABS
Sunshield Material	ABS
Bracket Material	Steel
Color	Black
Physical	
Environment	Indoor
Product Weight	14lbs
Shipping Dimensions	22 x 10 x 6
Shipping Weight	16lbs

ABOUT 3Si

- 53 years of experience and specialized knowledge in the Security field
- 24/7 US-based support
- Long-term relationships with the industry, built on trust and satisfaction
- Partnered with over 10,300 law enforcement agencies
- Over 20,000 criminals
 apprehended and \$153M in assets recovered

